Adventure with Confidence



Embodying the function before fashion sensibility of the Fish'r range this workhorse is made from durable marine-grade aluminium alloy making it a tough and reliable people mover. The positive buoyancy™ tubes give life-ring security while the distinctive hull shape and stepped chines make for great handling with all the ease of helm steering.

Specifications

Length	4.6m
Max Adults	5
Recommended HP	40hp
Maximum HP	60hp
Leg Length	20in
External Beam	1.87m
Internal Beam	1.35m
Deadrise (measured at transom)	16
Tube Thickness	2.5mm
Hull Thickness	3.5mm
Reserve Buoyancy (Approx)	8851
Dry Hull Weight (Approx)	280kg
Tow Weight (Approx)	620kg
Length on Trailer	5.9m
Height on Trailer (Approx)	1.95m

Web: www.stabicraft.com Email: sales@stabicraft.com



STABI-CRAFT

459 Fish'r

A alveand	الملكانيين مسييا	Canfid	0.00
Aaveni	ture with	Confid	ence

General	Standard	Optional
Auxillary Bracket (Standard)		0
Battery and oil tank shelf/compartment	S	
Bilge Pump and Well		0
Tube floor matting		0
Heavy duty Bollards		0
Filleting Board		0
Rod Holders in side coaming	S	
Additional pair Rod Holders in side coaming		0
Rear Boarding Ladder (T-bar, 2 step)		0
Side coaming ski and rod storage	S	
Self bailing Valves	S	
Raised Transom		0
Cabin	Standard	Optional
Walkthrough Windscreen	S	Optional
Windscreen Handrail		0
Navigation Lights (package)		0
Bow Storage Shelves	S	
Cargo Net – only available with bow storage shelves		0
Seating		
_	Standard	Optional
Twin Cantilever seats with storage	S	0
Side seats (only available with Cantilever seats)		0
Helm Seat Upholstery (Stabi squabs)		0
Helm Seat Upholstery (Vinyl)		0
Steering	Standard	Optional
Steering - Rotary	S	
Canopy/Bimini Tops		
.,	Standard	Optional
Rod and Canopy Arch (Alloy)		0

Web: www.stabicraft.com Email: sales@stabicraft.com

STABLERANT POVENTURE WITH CONFIDENCE

STABI-CRAFT

459 Fish'r

	Adventure with Confidence
Paint	Standard Optiona
Transom external (only)	0
External Tube frame	0
Internal Tube frame	0
Cabin only	0
Belting up	0
Metallic Upgrade	0
Nyalic	Standard Optiona
Transom external (only)	0
External Tube frame	0
Internal Tube frame	0
Belting up	0

This brochure was printed on 25/03/2009. Please check our website for current features and specifications, as they may have changed.

